

archant
PORCELAIN



**Care &
Maintenance**

archant.co.nz

Care & Maintenance Guidelines


You want to enjoy your new Archant surface for its lifetime. So, care and cleanliness is the secret to ensuring your surface retains its beauty. Archant Porcelain is a porcelain stoneware, which is a hardwearing heat, stain and fade resistant surface. However, we do recommend that spills are wiped up as soon as possible to ensure you maintain a fabulous look surface for many years.

Cleaning your Archant Porcelain surface

We recommend using the Archant Porcelain Stone cleaner at least weekly, otherwise warm water can be used.

1

Lightly spray the Porcelain Cleaner over your surface



2

Dampen the microber cloth and wipe clean



3

Rinse microber cloth and wipe the surface dry



Care & Maintenance Guidelines

Cleaning your Archant Porcelain surface

Your daily maintenance should consist of wiping your bench top surface with a soft sponge or cloth and warm soapy water (mild detergent).

Our cleaner is specially designed for Archant surfaces and is the perfect formulation for a sparkling clean spotless surface.

Before using any cleaning product, check that it does not contain trichloroethane, methylene chloride or high levels of alkaline/pH. If your bench top is exposed to any of these damaging products, rinse immediately with water to neutralize the chemicals.

Unsuitable products

Avoid cleaning the bench top with products containing bleach or with a high basic pH level as they may create whitish streaks. Other products that may mark the surface are industrial solvents, hydrofluoric acid, caustic soda, and varnish solvents.

Grease-removal detergents for the kitchen may be used but once the stain has been removed, the area must be rinsed thoroughly with water. "Grease-removal" products are usually "basic" and, if left to act on a quartz agglomerate for a long time they might change the surface, leaving stains (they react with the resin content).

Indications for maintenance

Archant products are a highly compacted and non-porous surface, thus requiring no special treatment. Archant products do not absorb liquids, smells or food fats. Since they are non-porous, they do not allow the proliferation of bacteria, resist acids, are easy to clean and hygienic. Archant products are resistant to stains and wear and tear, scores, scratches and light bangs. Furthermore, the work tops should never be overloaded with weights exceeding 50kg (do not stand or sit on the benchtop) and make sure blunt objects do not fall on it (knives, bottles, saucepans, working tools, etc) which, owing to their shape, may cause cracks that are difficult, if not, impossible to repair. Also note, that while heat resistant, prolonged direct contact with high heats could cause some damage.

Warranty

Warranty Information

Archant provides a lifetime warranty to the original owners of our Archant Porcelain surfaces that the product will be free from manufacturing defects for a period of the lifetime of the original owner.

Although the product is carefully inspected prior to shipping or delivery, it is the responsibility of the owner to thoroughly inspect the product upon its receipt.

Any damage to the product thereafter is the responsibility of the owner.

Final inspection and approval of the installation is also the owner's responsibility.

The warranty shall apply only where a product is properly fabricated by approved fabricators, subject to the exclusions set out below, is used for its intended purpose, and is maintained and used strictly in accordance with the Archant care and maintenance instructions.

All warranty claims must be received by Archant within 28 days of discovery of a manufacturing fault that falls within this warranty.

Warranty Exclusions

The warranty shall be null and void unless the product has been paid for in full. The warranty covers only manufacturing defects and does not apply to material subjected to damage due to mishandling, structural movement, abnormal use, misuse, physical chemical or exposure to direct or sustained heat, cold (thermal shock), exposure to chemicals, force, abnormal pressure or loading applied by a person or object.

The warranty does not cover damage or effects caused by poor installation or improper, insufficient or poorly designed support, cabinets, structures, substrate or sub-floors for bench tops, vertical surfaces or floor tiles.

The warranty does not cover quality of installation or damage caused by the installer or fabricator. Installation or fabrication issues must be resolved directly with the point of purchase and are the sole responsibility of the owner and the point of purchase and not of Archant and are not covered by the warranty.

The warranty does not cover transportation, freight, removal, disposal and re-installation, fabrication or associated costs beyond the cost of the material.

Porcelain Surface Cleaner

Cleans, protects and maintains
Ready to use
Does not leave streaks

Kitset code
51.8957.ZZ

Size
250ml

In the box
Cleaner



For easy and effective cleaning of ceramic surfaces such as kitchen benchtops, countertops, vanity tops, porcelain tiles and also suitable for glass and stainless steel.



The archant promise

Fast delivery

We can delivery anywhere in New Zealand. All orders received before 4:00 pm with stock on hand, will be dispatched the same working day. You'll have your Archant experience before you know it.

Display options

We are more than happy to send you a sample or display option for your showroom or library. We want your customers to be able to confidently decide on their product and be 100% satisfied with the end result.

Money back guarantee

All our products carry a warranty for your peace of mind. If you're not completely satisfied with our products, we guarantee to refund you in full within one year of purchase. Products returned must be in new condition, unopened, unused and in original packaging.

archant

archant.co.nz

0800 ARCHANT (0800 272 4268)

Showroom

Shop 11, 115 St Georges Bay Road,
Parnell, Auckland

Postal

PO Box 2440, Stortford Lodge, Hastings 4120